

MINI CONTAINER



6ft Mini Container



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



6FT MINI CONTAINER

External
Dimensions (mm)
**1666 x 1912 x
2596**

Internal
Dimensions (mm)
**1470 x 1748 x
2278**

Tare Weight (kgs)
1500

Payload (kgs)
4000

Max Gross Weight
(kgs)
5500

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

DRY GOODS CONTAINER



10ft Dry Goods Container



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard. Hi-Cube (HC) 9' 6" option available.



**10FT DRY GOODS
CONTAINER (CSC)**

External
Dimensions (mm)
**2991 x 2438 x
2591**

Internal
Dimensions (mm)
**2797 x 2240 x
2242**

Tare Weight (kgs)
2365

Payload (kgs)
7750

Max Gross Weight
(kgs)
10115

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

DRY GOODS CONTAINER



SCAN ME

20ft Dry Goods Container



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard. Hi-Cube (HC) 9' 6" option available.



**20FT DRY GOODS
CONTAINER**

External
Dimensions (mm)
**6058 x 2438 x
2591**

Internal
Dimensions (mm)
**5864 x 2240 x
2230**

Tare Weight (kgs)
3800

Payload (kgs)
15500

Max Gross Weight
(kgs)
19300

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

DRY GOODS CONTAINER



10ft Open Top Container



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Includes cargo nets/ tarpaulins & removable rail option available. Hi-Cube (HC) 9'-6" & Heavy Lift (MGW 25,000 kgs) also available. Unit is supplied with certified slings and shackles as standard.



**10FT OPEN TOP
CONTAINER**

External Dimensions (mm)	Internal Dimensions (mm)	Tare Weight (kgs)	Payload (kgs)	Max Gross Weight (kgs)
2991 x 2438 x 2591	2797 x 2220 x 2356	2220	8000	10220

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

DRY GOODS CONTAINER



20ft Open Top Container



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Includes cargo nets/ tarpaulins & removable rail option available. Hi-Cube (HC) 9'-6" & Heavy Lift (MGW 25,000 kgs) also available. Unit is supplied with certified slings and shackles as standard.



**20FT OPEN TOP
CONTAINER**

External
Dimensions (mm)
**6058 x 2438 x
2591**

Internal
Dimensions (mm)
**5854 x 2220 x
2356**

Tare Weight (kgs)
3450

Payload (kgs)
9750

Max Gross Weight
(kgs)
13200

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

HALFHEIGHT CONTAINER



SCAN ME

10ft Half Height



With removable side. Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Includes cargo nets / tarpaulins & door safety net. Heavy Lift (MGW 25,000 kgs) also available. Unit is supplied with certified slings and shackles as standard.



10FT HALF HEIGHT

External Dimensions (mm)	Internal Dimensions (mm)	Tare Weight (kgs)	Payload (kgs)	Max Gross Weight (kgs)
2991 x 2438 x 1281	2795 x 2200 x 1007	1380	7940	9320

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

HALFHEIGHT CONTAINER



SCAN ME

15ft Half Height



With removable side. Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Includes cargo nets / tarpaulins & door safety net. Heavy Lift (MGW 25,000 kgs) also available. Unit is supplied with certified slings and shackles as standard.



15FT HALF HEIGHT

External
Dimensions (mm)
**4612 x 2416 x
1411**

Internal
Dimensions (mm)
**4412 x 2196 x
1050**

Tare Weight (kgs)
2230

Payload (kgs)
10500

Max Gross Weight
(kgs)
12730

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

HALFHEIGHT CONTAINER



SCAN ME

20ft Half Height



With removable full side door. Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Includes cargo nets / tarpaulins & door safety net. Heavy Lift (MGW 25,000 kgs) also available. Unit is supplied with certified slings and shackles as standard.



20FT HALF HEIGHT

External
Dimensions (mm)
**6058 x 2438 x
1281**

Internal
Dimensions (mm)
**5862 x 2200 x
945**

Tare Weight (kgs)
2570

Payload (kgs)
10000

Max Gross Weight
(kgs)
12570

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



20ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**20FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**6000 x 1184 x
1100**

Internal
Dimensions (mm)
**5800 x 972 x
799**

Tare Weight (kgs)
1370

Payload (kgs)
8000

Max Gross
Weight (kgs)
9370

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



SCAN ME

27ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**27FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**8300 x 1200 x
1430**

Internal
Dimensions (mm)
**8102 x 991 x
1016**

Tare Weight (kgs)
2580

Payload (kgs)
9820

Max Gross
Weight (kgs)
12400

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



34ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**34FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**10300 x 1200
x 1430**

Internal
Dimensions (mm)
**10083 x 991 x
1016**

Tare Weight (kgs)
3070

Payload (kgs)
11230

Max Gross
Weight (kgs)
14300

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



SCAN ME

40ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**40FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**12144 x 1184
x 1095**

Internal
Dimensions (mm)
**11944 x 972 x
778**

Tare Weight (kgs)
2620

Payload (kgs)
12000

Max Gross
Weight (kgs)
14620

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



SCAN ME

44ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**44FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**13400 x 1200
x 1430**

Internal
Dimensions (mm)
**13106 x 991 x
1016**

Tare Weight (kgs)
3960

Payload (kgs)
10340

Max Gross
Weight (kgs)
14300

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



SCAN ME

46ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**46FT X 4FT CARGO
BASKET**

External
Dimensions (mm)
**13973 x 1184 x
1095**

Internal
Dimensions (mm)
**13773 x 972 x
778**

Tare Weight (kgs)
3080

Payload (kgs)
12000

Max Gross
Weight (kgs)
15080

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

CARGO BASKET



47ft x 4ft Cargo Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



47FT X 4FT CARGO
BASKET

External Dimensions (mm)	Internal Dimensions (mm)	Tare Weight (kgs)	Payload (kgs)	Max Gross Weight (kgs)
14300 x 1200 x 1430	14097 x 991 x 1016	3960	10340	14300

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

TOOL BASKET



16ft Tool Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



16FT TOOL BASKET

External
Dimensions (mm)
**4,825 x 680 x
778**

Internal
Dimensions (mm)
**4667 x 510 x
502**

Tare Weight (kgs)
770

Payload (kgs)
2,230

Max Gross
Weight (kgs)
3,000

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

TOOL BASKET



SCAN ME

14ft Drum Basket



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles as standard.



14FT DRUM BASKET

External
Dimensions (mm)
**4200 x 1920 x
1876**

Internal
Dimensions (mm)
**4000 x 1660 x
1546**

Tare Weight (kgs)
2050

Payload (kgs)
8950

Max Gross Weight
(kgs)
11000

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

TOOL BASKET



10ft Workshop Container



Option of 1T chain hoist, Hi-Cube version and Zone II rated. Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as standard.



**10FT WORKSHOP
CONTAINER**

External
Dimensions (mm)
**2991 x 2438 x
2591**

Internal
Dimensions (mm)
**2797 x 2240 x
2208**

Tare Weight (kgs)
2365

Payload (kgs)
7750

Max Gross Weight
(kgs)
10115

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com

GAS RACK



SCAN ME

16 Slot Cylinder Rack



Designed and manufactured in accordance with DNV 2.7-1 / BSEN 12079 or ISO 10855. Unit is supplied with certified slings and shackles and door safety net as



**16 SLOT CYLINDER
RACK**

External
Dimensions (mm)
**1310 x 1190 x
2250**

Internal
Dimensions (mm)
**1042 x 1030 x
1868**

Tare Weight (kgs)
930

Payload (kgs)
2500

Max Gross Weight
(kgs)
3430

FRANKLIN OFFSHORE



PT. FRANKLIN OFFSHORE INDONESIA PERKASA

sales@franklinindonesia.com